

# Safety Data Sheet

## Mearlin® NU-Antique Silver 9110AB

Revision date : 2014/10/19

Page: 1/9

Version: 3.0

(30322608/SDS\_GEN\_US/EN)

### 1. Identification

#### Product identifier used on the label

## Mearlin® NU-Antique Silver 9110AB

#### Recommended use of the chemical and restriction on use

Recommended use\*: colourant(s)

\* The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

#### Emergency telephone number

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Chemical family: metal oxides

---

### 2. Hazards Identification

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

#### Classification of the product

No need for classification according to GHS criteria for this product.

#### Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

#### Hazards not otherwise classified

# Safety Data Sheet

## Mearlin® NU-Antique Silver 9110AB

Revision date : 2014/10/19  
Version: 3.0

Page: 2/9  
(30322608/SDS\_GEN\_US/EN)

No specific dangers known, if the regulations/notes for storage and handling are considered.

**According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

### Emergency overview

#### WARNING:

May cause cancer by inhalation.

Contains an IARC Group 2B carcinogen - possibly carcinogenic to humans.

Prolonged or repeated exposure may cause pulmonary problems.

### 3. Composition / Information on Ingredients

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

This product does not contain any components classified as hazardous under the referenced regulation.

**According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
12001-26-2	53.0 - 68.0 %	Mica-group minerals
13463-67-7	16.0 - 23.0 %	Titanium dioxide
1317-61-9	16.0 - 24.0 %	Iron oxide (Fe <sub>3</sub> O <sub>4</sub> )
1309-37-1	< 2.0 %	Iron oxide

### 4. First-Aid Measures

#### Description of first aid measures

##### General advice:

Remove contaminated clothing.

##### If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

##### If on skin:

Wash thoroughly with soap and water. If irritation develops, seek medical attention.

##### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. If irritation develops, seek immediate medical attention.

##### If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Seek medical attention if necessary.

#### Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

#### Indication of any immediate medical attention and special treatment needed

# Safety Data Sheet

## Mearlin® NU-Antique Silver 9110AB

Revision date : 2014/10/19  
Version: 3.0

Page: 3/9  
(30322608/SDS\_GEN\_US/EN)

---

### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:  
dry powder, foam

Unsuitable extinguishing media for safety reasons:  
carbon dioxide

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
No particular hazards known.

### Advice for fire-fighters

Protective equipment for fire-fighting:  
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

If exposed to fire, keep containers cool by spraying with water.

---

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

### Environmental precautions

Do not empty into drains.

This product is not regulated by RCRA. This product is not regulated by CERCLA ('Superfund').

### Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of.  
For large amounts: Pick up with suitable appliance and dispose of.

Spills should be contained and placed in suitable containers for disposal.

---

## 7. Handling and Storage

### Precautions for safe handling

Breathing must be protected when large quantities are decanted without local exhaust ventilation.  
Avoid contact with the skin, eyes and clothing.

Avoid dust formation. Closed containers should only be opened in well-ventilated areas.

# Safety Data Sheet

## Mearlin® NU-Antique Silver 9110AB

Revision date : 2014/10/19  
Version: 3.0

Page: 4/9  
(30322608/SDS\_GEN\_US/EN)

Protection against fire and explosion:  
No special precautions necessary.

See MSDS section 5 - Fire fighting measures. Prevent electrostatic charge accumulation.

### Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep in a cool place. Keep container dry.

---

## 8. Exposure Controls/Personal Protection

### Components with occupational exposure limits

Mica-group minerals	OSHA PEL	TWA value 20 millions of particles per cubic foot of air ; TWA value 3 mg/m3 Respirable dust ; TWA value 20 millions of particles per cubic foot of air ;
	ACGIH TLV	TWA value 3 mg/m3 Respirable fraction ;
Titanium dioxide	OSHA PEL	PEL 15 mg/m3 Total dust ; TWA value 10 mg/m3 Total dust ;
	ACGIH TLV	TWA value 10 mg/m3 ;
Iron oxide	OSHA PEL	PEL 10 mg/m3 fumes/smoke ; TWA value 10 mg/m3 fumes/smoke ;
	ACGIH TLV	TWA value 5 mg/m3 Respirable fraction ;

### Personal protective equipment

#### **Respiratory protection:**

Observe OSHA regulations for respirator use (29 CFR 1910.134). Wear a NIOSH-certified (or equivalent) particulate respirator.

#### **Hand protection:**

Chemical resistant protective gloves

#### **Eye protection:**

Safety glasses with side-shields.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### **General safety and hygiene measures:**

Handle in accordance with good industrial hygiene and safety practice. Due to the colouring properties of the product closed work clothes should be used, to avoid stains during manipulation. Hands and/or face should be washed before breaks and at the end of the shift. Wash soiled clothing immediately.

---

## 9. Physical and Chemical Properties

Form:	powder	
Odour:	odourless	
Odour threshold:		not determined
Colour:	greyish	

# Safety Data Sheet

## Mearlin® NU-Antique Silver 9110AB

Revision date : 2014/10/19  
Version: 3.0

Page: 5/9  
(30322608/SDS\_GEN\_US/EN)

pH value:	6.0 - 10.5	
Melting temperature:	> 1,000 °C	The substance / product decomposes.
Boiling point:		not applicable, solid with a melting temperature over 300 °C
Flash point:		Study does not need to be conducted.
Flammability:	not flammable	
Lower explosion limit:		Study does not need to be conducted.
Upper explosion limit:		Study does not need to be conducted.
Autoignition:		Study does not need to be conducted.
Vapour pressure:		not applicable
Density:	3.1 g/cm <sup>3</sup>	(approx. 20 °C)
Relative density:	3.1	
Bulk density:	155 kg/m <sup>3</sup>	
Vapour density:		The product is a non-volatile solid.
Partitioning coefficient n-octanol/water (log Pow):		Study does not need to be conducted.
Self-ignition temperature:		not self-igniting
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:		Study does not need to be conducted.
Particle size:	D95 4 - 90 µm	
Solubility in water:		insoluble
Evaporation rate:		The product is a non-volatile solid.

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:  
not fire-propagating

### Chemical stability

The product is chemically stable.

### Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

The product is chemically stable.

Hazardous polymerization will not occur.

### Conditions to avoid

Avoid dust formation. Avoid deposition of dust. No special precautions other than good housekeeping of chemicals.

### Incompatible materials

No substances known that should be avoided.

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

# Safety Data Sheet

## Mearlin® NU-Antique Silver 9110AB

Revision date : 2014/10/19  
Version: 3.0

Page: 6/9  
(30322608/SDS\_GEN\_US/EN)

### 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### Acute Toxicity/Effects

##### Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

The product has not been tested. The statement has been derived from the properties of the individual components.

##### Inhalation

Type of value: LC50

not determined

##### Dermal

Type of value: LD50

not determined

##### Irritation / corrosion

Assessment of irritating effects: Inhalation of dust may cause respiratory tract irritation, coughing and breathing difficulties. Contact with the eyes or skin may cause mechanical irritation.

##### Skin

May cause mechanical irritation.

##### Eye

May cause mechanical irritation.

##### Aspiration Hazard

not applicable

#### Chronic Toxicity/Effects

##### Repeated dose toxicity

Assessment of repeated dose toxicity: Prolonged or repeated exposure may cause pulmonary problems. The product has not been tested. The statement has been derived from the properties of the individual components.

##### Carcinogenicity

*Information on: Titanium dioxide*

*Assessment of carcinogenicity: IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans). In long-term studies in rats in which the substance was given by inhalation, a carcinogenic effect was observed. Tumors were only observed in rats after chronic inhalative exposure to high concentrations which caused sustained lung inflammation. In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed. Dermal exposure is not expected to be carcinogenic.*

-----

# Safety Data Sheet

## Mearlin® NU-Antique Silver 9110AB

Revision date : 2014/10/19  
Version: 3.0

Page: 7/9  
(30322608/SDS\_GEN\_US/EN)

### Other Information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components. The product has been assessed on the basis of the components' available data. To some extent data gaps exist for individual components. According to our present knowledge and experience dangers which are not covered by the current labeling are not to be expected.

### **Symptoms of Exposure**

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

### Medical conditions aggravated by overexposure

Inhalation of dust could aggravate existing respiratory conditions.

---

## **12. Ecological Information**

### **Toxicity**

#### Aquatic toxicity

Assessment of aquatic toxicity:

At the present state of knowledge, no negative ecological effects are expected.

#### Toxicity to fish

LC50 (96 h) > 100 mg/l, Fish

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Aquatic invertebrates

LC50 (48 h), daphnia  
not determined

#### Aquatic plants

EC50 (72 h), algae  
not determined

#### Chronic toxicity to fish

No data available.

#### Chronic toxicity to aquatic invertebrates

No data available.

### **Microorganisms/Effect on activated sludge**

#### Toxicity to microorganisms

bacteria/EC50 (0.5 h):  
not determined

### **Persistence and degradability**

#### Assessment biodegradation and elimination (H<sub>2</sub>O)

The colourant is insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plant

### **Additional information**

# Safety Data Sheet

## Mearlin® NU-Antique Silver 9110AB

Revision date : 2014/10/19  
Version: 3.0

Page: 8/9  
(30322608/SDS\_GEN\_US/EN)

### Other ecotoxicological advice:

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. The product has not been tested. The statement has been derived from the properties of the individual components.

## 13. Disposal considerations

### Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations. Dispose of in a licensed facility. Do not discharge into drains/surface waters/groundwater. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA. This product does not possess any of the four identifying characteristics of hazardous waste (ignitability, corrosivity, reactivity, or toxicity).

### Container disposal:

Uncontaminated packaging can be re-used. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

## 14. Transport Information

### Land transport

USDOT

Not classified as a dangerous good under transport regulations

### Sea transport

IMDG

Not classified as a dangerous good under transport regulations

### Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Chemical TSCA, US released / listed

### State regulations

#### State RTK

MA, NJ, PA

MA, NJ, PA

MA, NJ, PA

#### CAS Number

12001-26-2

13463-67-7

1309-37-1

#### Chemical name

Mica-group minerals

Titanium dioxide

Iron oxide

#### NFPA Hazard codes:

Health : 0 Fire: 0 Reactivity: 0 Special:

#### HMIS III rating

Health: 0 Flammability: 0 Physical hazard: 0



# Safety Data Sheet

## Mearlin® NU-Antique Silver 9110AB

Revision date : 2014/10/19  
Version: 3.0

Page: 9/9  
(30322608/SDS\_GEN\_US/EN)

---

### 16. Other Information

**SDS Prepared by:**  
BASF NA Product Regulations  
SDS Prepared on: 2014/10/19

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

Mearlin® NU-Antique Silver 9110AB is a registered trademark of BASF Corporation or BASF SE  
IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED  
HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS  
PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT  
PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO  
DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR  
TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING  
WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE  
MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET  
FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED  
WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE  
SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED  
A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY  
UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION  
FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO  
OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION  
GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.  
END OF DATA SHEET