

Revision date : 2014/08/19 Version: 2.0 Page: 1/9 (30322671/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Mearlin® Super Copper 9350Z

Recommended use of the chemical and restriction on use Recommended use*: pigment

* The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company: BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification Chemical family: metal oxides

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

No need for classification according to GHS criteria for this product.

Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

Hazards not otherwise classified

Revision date : 2014/08/19 Version: 2.0

No specific dangers known, if the regulations/notes for storage and handling are considered.

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Emergency overview

CAUTION: PROLONGED OR REPEATED EXPOSURE TO DUST MAY CAUSE PULMONARY PROBLEMS.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

This product does not contain any components classified as hazardous under the referenced regulation.

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

The product contains:

CAS Number	Content (W/W)	<u>Chemical name</u>
12001-26-2	45.0 - 86.0 %	Mica-group minerals
1309-37-1	14.0 - 55.0 %	Iron oxide

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

If on skin:

Wash thoroughly with soap and water. If irritation develops, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. If irritation develops, seek immediate medical attention.

If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Seek medical attention if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Indication of any immediate medical attention and special treatment needed

Revision date : 2014/08/19

Version: 2.0

Page: 3/9 (30322671/SDS GEN US/EN)

Note to physician Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: dry powder, foam

Unsuitable extinguishing media for safety reasons: carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting: No particular hazards known.

Advice for fire-fighters

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

If exposed to fire, keep containers cool by spraying with water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not empty into drains.

This product is not regulated by RCRA. This product is not regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of. For large amounts: Pick up with suitable appliance and dispose of.

Spills should be contained and placed in suitable containers for disposal.

7. Handling and Storage

Precautions for safe handling

Breathing must be protected when large quantities are decanted without local exhaust ventilation. Avoid contact with the skin, eyes and clothing.

Avoid dust formation. Closed containers should only be opened in well-ventilated areas.

Revision date : 2014/08/19 Version: 2.0

Protection against fire and explosion: No special precautions necessary.

See MSDS section 5 - Fire fighting measures. Prevent electrostatic charge accumulation.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep in a cool place. Keep container dry.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

Mica-group minerals	OSHA PEL ACGIH TLV	TWA value 20 millions of particles per cubic foot of air ; TWA value 3 mg/m3 Respirable fraction ;
Iron oxide	OSHA PEL ACGIH TLV	PEL 10 mg/m3 fumes/smoke; TWA value 5 mg/m3 Respirable fraction;

Personal protective equipment

Respiratory protection:

Observe OSHA regulations for respirator use (29 CFR 1910.134). Wear a NIOSH-certified (or equivalent) particulate respirator.

Hand protection:

Chemical resistant protective gloves

Eye protection:

Safety glasses with side-shields.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Due to the colouring properties of the product closed work clothes should be used, to avoid stains during manipulation. Hands and/or face should be washed before breaks and at the end of the shift. Wash soiled clothing immediately.

9. Physical and Chemical Properties

Form: Odour:	powder odourless	
Odour threshold:	odouness	No applicable information available.
Colour:	brown	
pH value:	6.0 - 11.0	(4%(m))
Melting point:	0.0 - 11.0	The substance / product decomposes.
Boiling point:		not applicable
Flash point:		not applicable
Flammability:	not flammable	
Autoignition:		Study does not need to be conducted.
Vapour pressure:		not applicable
Density:	3.4 kg/l	(approx. 20 °C)
Relative density:	3.4	
Bulk density:	146 kg/m3	
Partitioning coefficient n-		Study scientifically not justified.
octanol/water (log Pow):		

Revision date : 2014/08/19 Version: 2.0

Thermal decomposition:

Viscosity, dynamic:

Solubility in water:

Evaporation rate:

Other Information:

Self-ignition

temperature:

Particle size:

Page: 5/9 (30322671/SDS GEN US/EN)

Study scientifically not justified. not self-igniting No decomposition if stored and handled as prescribed/indicated.

D95 6 - 48 µm

Study does not need to be conducted.

insoluble The product is a non-volatile solid. If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

Oxidizing properties: not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions. The product is chemically stable. Hazardous polymerization will not occur.

Conditions to avoid

Avoid dust formation. Avoid deposition of dust. No special precautions other than good housekeeping of chemicals.

Incompatible materials

No substances known that should be avoided.

Hazardous decomposition products

Decomposition products: Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Revision date : 2014/08/19 Version: 2.0 Page: 6/9 (30322671/SDS_GEN_US/EN)

Oral

Type of value: LD50 Species: rat Value: > 2,000 mg/kg The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Inhalation of dust may cause respiratory tract irritation, coughing and breathing difficulties. Contact with the eyes or skin may cause mechanical irritation.

Skin

May cause mechanical irritation.

<u>Eye</u>

May cause mechanical irritation.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Prolonged or repeated exposure may cause pulmonary problems. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Mica-group minerals

Assessment of repeated dose toxicity: Chronic exposures have been known to produce pneumoconiosis (chronic inflammatory and fibrotic lung disease).

Information on: Iron oxide

Assessment of repeated dose toxicity: The substance may cause increase in lung mass and lung tissue changes after repeated inhalation. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition. Chronic exposures have been known to produce pneumoconiosis (chronic inflammatory and fibrotic

lung disease).

Other Information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

<u>Medical conditions aggravated by overexposure</u> Inhalation of dust could aggravate existing respiratory conditions.

12. Ecological Information

Toxicity

Aquatic toxicity Assessment of aquatic toxicity:

Revision date : 2014/08/19 Version: 2.0 Page: 7/9 (30322671/SDS GEN US/EN)

At the present state of knowledge, no negative ecological effects are expected.

<u>Toxicity to fish</u> LC50 (96 h) > 100 mg/l, Fish The product has not been tested. The statement has been derived from the properties of the individual components.

Aquatic invertebrates LC50 (48 h), daphnia not determined

Aquatic plants EC50 (72 h), algae not determined

Chronic toxicity to fish No data available.

Chronic toxicity to aquatic invertebrates No data available.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms bacteria/EC50 (0.5 h): not determined

Persistence and degradability

Assessment biodegradation and elimination (H2O) The colourant is insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plant

Elimination information

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

The product will not be readily bioavailable due to its consistency and insolubility in water. The product has not been tested. The statement has been derived from the properties of the individual components.

Mobility in soil

<u>Assessment transport between environmental compartments</u> The substance will not evaporate into the atmosphere from the water surface.

Additional information

Other ecotoxicological advice:

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. The product has not been tested. The statement has been derived from the properties of the individual components.

Revision date : 2014/08/19 Version: 2.0

13. Disposal considerations

Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations.

Dispose of in a licensed facility. Do not discharge into drains/surface waters/groundwater. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA. This product does not possess any of the four identifying characteristics of hazardous waste (ignitability, corrosivity, reactivity, or toxicity).

Container disposal:

Uncontaminated packaging can be re-used. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Land transport USDOT

Not classified as a dangerous good under transport regulations

Sea transport IMDG

Not classified as a dangerous good under transport regulations

Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status: Chemical TSCA, US released / listed

NFPA Hazard codes:

Health : 1 Fire: 0 Reactivity: 0 Special:

HMIS III ratingHealth: 1Flammability: 0Physical hazard:0

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2014/08/19

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our

Revision date : 2014/08/19 Version: 2.0

Page: 9/9 (30322671/SDS GEN US/EN)

commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Mearlin® Super Copper 9350Z is a registered trademark of BASF Corporation or BASF SE IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH. OR THAT THE PRODUCTS. DESIGNS. DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET